

**RESOLUTION TO APPROVE SP202500006
WOOLEN MILLS INDUSTRIAL FILL IN FLOODPLAIN**

WHEREAS, upon consideration of the staff report prepared for SP202500006 Woolen Mills Industrial Fill in Floodplain, the recommendation of the Planning Commission and the information presented at the public hearing on December 16, 2025, any comments received, and all of the relevant factors in Albemarle County Code §§ 18-30.3 and 18-33.8(A), the Albemarle County Board of Supervisors hereby finds that the proposed special use would:

1. not be a substantial detriment to adjacent parcels;
2. not change the character of the adjacent parcels and the nearby area;
3. be in harmony with the purpose and intent of the Zoning Ordinance, with the uses permitted by right in the Light Industrial zoning district, with the applicable provisions of Albemarle County Code § 18-30.3, and with the public health, safety, and general welfare (including equity); and
4. be consistent with the Comprehensive Plan.

NOW, THEREFORE, BE IT RESOLVED that the Albemarle County Board of Supervisors hereby approves SP202500006 Woolen Mills Light Industrial Fill in the Floodplain, subject to the conditions attached hereto.

* * *

I, Claudette K. Borgersen, do hereby certify that the foregoing writing is a true, correct copy of a Resolution duly adopted by the Board of Supervisors of Albemarle County, Virginia, by a vote of _____ to _____, as recorded below, at a regular meeting held on January 14, 2026.

Clerk, Board of County Supervisors

	<u>Aye</u>	<u>Nay</u>
Ms. Duncan	____	____
Mr. Gallaway	____	____
Ms. LaPisto-Kirtley	____	____
Ms. Mallek	____	____
Mr. Missel	____	____
Mr. Pruitt	____	____

SP20250006 Woolen Mills Industrial Fill in Floodplain- Conditions

1. The fill in the floodplain must be shown on a site development plan and must be in general accord with the Concept Plan titled "SP-2025-00006 Special Use Permit for Fill in the Floodplain Woolen Mills Light industrial Park," except as may be modified in order to meet the requirements of the County's Water Protection Ordinance, as determined by the County Engineer. The site must be filled to at least one-foot above the Base Flood Elevation (BFE).
2. The owner must submit a Virginia Erosion and Stormwater Management Plan (VESMP) application for the fill activity within 6 months of the approved special use permit. Fill activities, including the retaining wall and mitigation plan, must be completed within 2 years of approval of the VESMP application.
3. Fill is limited only to fill already located on the site or abutting parcels.
4. The applicant must apply for a Letter of Map Revision (LOMR) within 6 months of completing fill activities.
5. The applicant must submit and obtain approval of a mitigation plan with the VESMP application specifically for the portion of the property that was formerly proposed as a stormwater management facility and the immediate area surrounding that former facility that was disturbed to establish the storm water flow equalization basin as shown on SDP 2018-00065. Mitigation plant species must be native and listed as appropriate for the "Piedmont" region in the brochure titled "Native Plants for Conservation, Restoration, and Landscaping: Virginia Riparian Buffer Zones," published by the Virginia Department of Conservation and Recreation.
6. Stormwater treatment must be provided on-site and must equal twice the total required phosphorus load reduction.
7. A phase I archeological survey must be conducted prior to approval of the VESMP application for the fill area and any prior disturbed areas.