

**RESOLUTION TO APPROVE
SE 2023-00029 3307 ARBOR TERRACE**

WHEREAS, upon consideration of the staff reports prepared for SE2023-00029 3307 Arbor Terrace and the attachments thereto, including staff’s supporting analysis, any comments received, and all relevant factors in Albemarle County Code §§ 18-4.19 and 18-33.9, the Albemarle County Board of Supervisors hereby finds that the proposed special exception:

- (i) would be consistent with the intent and purposes of the R-6 Residential district under the particular circumstances and satisfy all other applicable requirements of Albemarle County Code § 18-4.19;
- (ii) would be consistent with R-6 Residential district design principles; and
- (iii) would not adversely affect the public health, safety, or general welfare.

NOW, THEREFORE, BE IT RESOLVED that the Albemarle County Board of Supervisors hereby approves a special exception to modify the 20-foot minimum rear setback requirement of County Code § 18-4.19 to 12 feet on Parcel 046B4-01-0G-02800.

I, Claudette K. Borgersen, do hereby certify that the foregoing writing is a true, correct copy of a Resolution duly adopted by the Board of Supervisors of Albemarle County, Virginia, by a vote of _____ to _____, as recorded below, at a regular meeting held on _____.

Clerk, Board of County Supervisors

	<u>Aye</u>	<u>Nay</u>
Mr. Andrews	_____	_____
Mr. Gallaway	_____	_____
Ms. LaPisto-Kirtley	_____	_____
Ms. Mallek	_____	_____
Ms. McKeel	_____	_____
Ms. Price	_____	_____