

**RESOLUTION TO APPROVE
SP 202200024 IVY PROPER WATER CONSUMPTION**

WHEREAS, upon consideration of the staff reports prepared for SP 202200024 Ivy Proper Water Consumption and all of their attachments, the information presented at the public hearings, any comments received, and the factors relevant to special use permits in Albemarle County Code § 18-22.2.2.11 and § 18-33.8, the Albemarle County Board of Supervisors hereby finds that the proposed special use would:

1. not be a substantial detriment to adjacent parcels;
2. not change the character of the adjacent parcels and the nearby area;
3. be in harmony with the purpose and intent of the Zoning Ordinance, with the uses permitted by right in the zoning district, and with the public health, safety, and general welfare (including equity); and
4. be consistent with the Comprehensive Plan.

NOW, THEREFORE, BE IT RESOLVED that the Albemarle County Board of Supervisors hereby approves SP 202200024 Ivy Proper Water Consumption, subject to the conditions attached hereto.

* * *

I, Claudette K. Borgersen, do hereby certify that the foregoing writing is a true, correct copy of a Resolution duly adopted by the Board of Supervisors of Albemarle County, Virginia, by a vote of _____ to _____, as recorded below, at a regular meeting held on _____.

Clerk, Board of County Supervisors

	<u>Aye</u>	<u>Nay</u>
Mr. Andrews	_____	_____
Mr. Gallaway	_____	_____
Ms. LaPisto-Kirtley	_____	_____
Ms. Mallek	_____	_____
Ms. McKeel	_____	_____
Ms. Price	_____	_____

SP2022-24 Ivy Proper Water Consumption Special Use Permit Conditions

1. The applicant must install a meter on the well head to monitor water consumption. Results of daily water consumption monitoring must be made available within forty-eight (48) hours of a request by the Zoning Administrator.
2. Water consumption must be restricted to 875 gallons per day.