

ZONING MAP AMENDMENT 2018-00013

APPLICATION PLAN

# **RIO ROAD WEST**

TMP(s) 45-101, 45-101B, 45-100-A, 45-100

Albemarle County, Virginia

Submitted 18 October 2018 Revised 12 March 2019 Revised 29 April 2019 Revised 03 June 2019

Revised 24 JUNE 2019


# **Context Map**


Sheet 1 of 9


project number: 18.030


#### **INDEX OF SHEETS**


- 1 Cover & Context Map
- Existing Conditions
- 3 Block & Activity Network
- 4 Proposed Circulation
- 5 Conceptual Stormwater & Grading Plan
- 6 Conceptual Street Section
- 7 Technical Conceptual Section
- 8 Conceptual Greenspace Section
- 9 Conceptual Site Section











10

Graphic Scale: 1"=10'

10.5 Travemays

### **RIO ROAD WEST**

TMP(s) 45-101, 45-101B, 45-100-A, 45-100

Submitted: 18 October 2018

Revised: 12 March 2019 Revised: 29 April 2019

Revised: 03 June 2019

Sheet 7 of 9


Revised: 24 JUNE 2019


# **Technical Conceptual Section**

## **Existing Conditions**


# 

#### **Proposed Street Improvements**





SIDEWALK-TBR



Graphic Scale: 1"=10'

**ZONING MAP AMENDMENT 2018-00013** The topography and existing characteristics of the APPLICATION PLAN site are used to define the blocks and inform the design of future buildings. Block widths and depths **RIO ROAD WEST** are designed at a walkable scale. TMP(s) 45-101, 45-101B, 45-100-A, 45-100 Buildings should be designed to anticipate future development and provide for multiple access points. In addition, buildings should be designed with active Submitted: 18 October 2018 facades as defined in the code of development. Revised: 12 March 2019 Revised: 29 April 2019 Notes: Revised: 03 June 2019 1.) Internal sidewalks shall be a paved surface, Revised: 24 JUNE 2019 minimum of 5' in width **Conceptual Site Section** Sheet 9 of 9 **Right-of-Way Local Manufacturing &** Active Active **Neighborhood Services** Recreation Urban Rio Road West Block I Block III Block II Conceptual ROW with multimodal 200' Deep x 220' Wide 150'-200' Variable Depth x 220' Wide Variable Dimension transit; shown with idealized street A sidewalk with stairs will transect the site connecting the Active Urban and Greenspace Amenity Areas improvements Possible Future Connection Suitable for Type C Max Allowable Building Height 6 Stories 'Local Street' 15' Stepback along Rio Road W above 4 stories Max Allowable Building Height 6 Stories 15' Stepback above 4 stories

#### **HIGH POINT**

Includes residential and commercial uses.

#### MID SITE

Low intensity manufacturing that serves the surrounding residences; residential uses may be incorporated

#### **LOW POINT**

Natural amenity area for residents; this area will feature a designed landscape with a multi-use path. The greenspace is a component of a larger linear park concept that is ultimately imagined to connect Berkmar Drive and Route 29.

40 80 120 Graphic Scale: 1"=40'

SHIMP ENGINEERING, P.C.